

MT333 IR Camera



MT333 is an indoor/outdoor IR color camera with 1/3" SONY SUPER HAD CCD / EFFIO comes with rust proof aluminum housing and bracket for outdoor usage.

Features:

- ✓ 1/3" Sony Super HAD CCD / EFFIO
- ✓ High performance 36 units IR LEDs (IR distance 15 ~ 30 meters when IR on)
- ✓ Up to 25 meter distance visibility at night
- ✓ IR reflection free with special front glass
- ✓ IR auto-open by CDS control in low Lux
- ✓ Suitable for indoor / outdoor
- ✓ Water resistance IP66 case

Table of Specifications

MODEL	MT333
Image sensor	1/3" SONY SUPER HAD CCD
Resolution	420 TVL
Total Pixels (HxV)	PAL : 500(H) x 582(V)
Scanning Frequency	PAL: 15.625 KHz(H), 50Hz(V)
Scanning System	2:1 Interlace
S/N Ratio	More than 52dB (AGC Off)
Min. Illumination	0.8 LUX
Sync. System	Synchronization
Electronic Shutter	PAL: 1/50 sec
Gamma	Y = 0.45
Video Output	1.0 Vp-p Composite (75Ω)
AGC	Auto
IR LED	36 unit 5mm IR LED up to 25meter
IR LED Operation	On (1 Lux) / Off (3 Lux)
LED life	More than 10,000 hours
Power Requirement	DC12V (±10%) (max up to 24V)
Power consumption	IR on: 380mA, IR off: 100mA
Cable	BNC/DC JACK
Operation Temp	-10°C ~ +50°C RH95% MAX
Storage Temp	-20°C ~ +60°C RH95% MAX
Lens	3.6mm broad lens
Dimension	85mm(W) x 130mm(L) x 86mm(H) (approx. 338g)
Boxed dimension	188mm(W) x 162mm(L) x 95mm(H) (approx. 640g)

© COPYRIGHT Oct 2011. This documentation served as a reference only. It is subject to change without further notice. All the diagrams and information in this documentation may not be duplicated or modified in any form without the written approval from the management.